



## **B-20/21-17 Addendum 2**

### **Purchase of kitchen equipment for Pleasant Lea Middle School**

Issue Date: 8/23/2021

Questions Deadline: 9/3/2021 10:00 AM (CT)

Response Deadline: 9/17/2021 01:00 PM (CT)

#### **Contact Information**

Contact: Jennifer Lalumondier  
Address: 702 SE 291 Highway  
Lee's Summit, MO 64063-4306  
Phone: (816) 9862210  
Email: [jennifer.lalumondier@lsr7.net](mailto:jennifer.lalumondier@lsr7.net)

## Event Information

Number: B-20/21-17 Addendum 2  
Title: Purchase of kitchen equipment for Pleasant Lea Middle School  
Type: Informal Bid Request  
Issue Date: 8/23/2021  
Question Deadline: 9/3/2021 10:00 AM (CT)  
Response Deadline: 9/17/2021 01:00 PM (CT)  
Notes: The Lee's Summit R-7 School District is soliciting bids for the purchase of kitchen equipment for Pleasant Lea Middle School. Lee's Summit R-7 School District (or the "District") is requiring proposers to submit their proposals electronically. Electronic submission help eliminate errors, eliminate unnecessary work, and is more friendly to the environment. Lee's Summit R-7 School District will not accept proposals that are submitted via email or fax machine. The District reserves the right to accept or reject any and all bids and to waive any formalities or technicalities if deemed in the best interest of the District. It is the responsibility of all responders to review the entire proposal, seek clarification of any item or requirement that may not be clear, and check all responses for accuracy before submitting a response.

If you are having difficulty submitting electronically, please contact Jennifer Lalumondier at 816.986.2210 or email [jennifer.lalumondier@lsr7.net](mailto:jennifer.lalumondier@lsr7.net) for instructions.

It is the responsibility of interested firms to check <https://lsr7ebid.ionwave.net> for any addendums or notices of information prior to the opening date and time of this bid.

A pre-bid meeting is scheduled for August 30, 2021 at 1:30 pm - 2:00 pm at Pleasant Lea Middle School, 630 SW Persels, Lee's Summit MO 64081. At this meeting you be able to view the kitchen and take measurements. Attendance is not required.

### Ship To Information

Address: 630 SW Persels Rd  
Lee's Summit, MO 64081-2810  
Phone: (816) 986-2206  
Fax: (816) 986-2215

### Billing Information

Address: 301 NE Tudor Rd  
Lee's Summit, MO 64086-5702  
Phone: (816) 986 x1000

## Bid Attachments

### General Terms & Conditions for RFPs, RFQs and Bids.pdf

General Terms and Conditions

[Download](#)

### 1\_-\_Sample\_Insurance\_Certificate.pdf

Certificate of Insurance

[View Online](#)

## Bid Attributes

### 1 Introduction

The Lee's Summit R-7 School District is soliciting bids for the purchase of kitchen equipment for Pleasant Lea Middle School. Lee's Summit R-7 School District (or the "District") is requiring proposers to submit their bids electronically. Electronic submissions help eliminate errors, eliminate unnecessary work, and are more friendly to the environment. Lee's Summit R-7 School District will not accept proposals that are submitted via email or fax machine. The District reserves the right to accept or reject any and all bids and to waive any formalities or technicalities if deemed in the best interest of the District. It is the responsibility of all respondents to review the entire proposal, seek clarification of any item or requirement that may not be clear, and check all responses for accuracy before submitting a response.

Bid price shall include equipment only. Installation will be completed by CSI.

A pre-bid meeting is scheduled for August 23, 2021 at 1:30 pm - 2:00 pm at Pleasant Lea Middle School, 630 SW Persels, Lee's Summit MO 64081. At this meeting you be able to view the kitchen and take measurements. Attendance is not mandatory.

### 2 Instructions to Respondents

1. All questions regarding this bid shall be submitted online via the "Questions" tab of this bid opportunity. The District reserves the right to reject any and all bids, to waive technical defects in bids, and to select the bid(s) deemed most advantageous to the District.
2. It is the responsibility of each respondent before submitting a proposal to examine the documents thoroughly and request written interpretation or clarifications soon after discovering any conflicts, ambiguities, errors, or omissions in the bid documents. Requests for clarification must be submitted online via the "Questions" tab.
3. Changes to the specifications will not be allowed except by written addendum issued by the District through this online procurement system. Oral explanations or instructions given prior to award will not be binding.
4. Respondent shall quote net costs of all goods and services requested and all quotes shall include all transportation to destination and inside delivery.
5. There will be no public opening of the bids.
6. Acceptance of this bid or any part thereof, in writing, within ninety (90) days after the closing date, by the District shall constitute a legal and binding agreement; wherein, the vendor shall furnish the services in accordance with the specifications and offeror's bid on the written order of the District.
7. The District reserves the right to award this contract in its entirety or to split the contract among bidders, whichever is in the best interest of the District. The District may accept any item or group of items of the bid unless qualified by specific limitation of the bidder.

I have read and understand.

*(Required: Check if applicable)*

### 3 Responding to Attributes

There are attributes, including this one, associated with this bid. Some are notes and require no response, but most have a required response. \*\*Please select each page from the bottom right-hand side of this list of attributes in order to view the next page of Bid Attributes.\*\*

### 4 Attachments Required

Be sure to upload all required documents and forms to the "Response Attachments" Tab.

**5 Specification Document**

Provide a specification document and forms to the "Response Attachments" Tab.

---

---

---

---

---

---

---

---

*(Required: Maximum 4000 characters allowed)*

**6 Purchase Agreements**

Purchase Agreements shall be awarded in accordance with regulations adopted by the Lee's Summit R7 Board of Education and adhere to all applicable purchasing policies. Purchase Agreements will be negotiated with the lowest responsible bidder who meets the qualifications for quality, price, terms of bid, lead time, and determined to be in the best interest of the District. The bid award will be at the sole discretion of the District. The District reserves the right to reject any and all bids in part or in whole, and to accept the bid that is in the best interest of the District.

I have read and understand.

*(Required: Check if applicable)*

**7 Bid Pricing**

Prices shall be fixed with minimum adjustments allowed. If the bidder is awarded an agreement under this bid solicitation, the prices proposed by the bidder shall remain fixed for a period of one hundred eighty (180) days after the issuance of an initial purchase order or District Mastercard P-Card purchase, regardless of market conditions. After this period, the vendor may submit a price adjustment to the District based on a Manufacturer's Revised Published Price List. The request MUST contain a written notification from the manufacturer to the supplier or vendor of price increases. The Revised Published Price List or manufacturer's notification shall be submitted to the District at least thirty (30) calendar days prior to the effective date of the new price to be charged to the District. It shall be understood that such price adjustments shall not exceed the amount passed onto the supplier or vendor by the manufacturer. It shall be further understood that the District reserves the right to reject any price adjustments submitted by the bidder and/or to terminate the contract with the bidder based on such price adjustments.

The successful bidder(s) must agree to accept the District's Purchase Order or the District's Mastercard P-card for the work order. These purchases are tax exempt.

The Lee's Summit R7 School District will review all bid submissions with regards to pricing, product performance, equipment features, references and experience. The District plans to award the bid within 60 days after the bid opening.

I have read and understand.

*(Required: Check if applicable)*

**8 Delivery Instructions**

Delivery of equipment will be determined.

Commercial Services, Inc. (CSI) will receive, inspect, deliver, and set in place all equipment on behalf of the district. CSI to disconnect existing hot food wells, warmers merchandisers, remove from site and dispose of. CSI to assemble equipment as equipment as required and set in place. CSI to connect units in owner provided correct and properly sized receptacles located within 4 ft of connection points. CSI to supply materials to plumb hot food wells to floor sink located within 6 ft of unit. CSI to dispose of all shipping and manufacturing materials. All work to be performed at the same time during normal business hours; M-F; 7:00 am - 4:30 pm.

Yes

*(Optional: Check if applicable)*

**9 Communications Statement**

Communications: Contact between vendors and Lee's Summit R7 personnel during the proposal process or evaluation process is prohibited. Any attempt by vendors during the proposal process to contact Lee's Summit R7 personnel may result in disqualification. All communication shall go through the Purchasing and Contracts Department during this competitive process. All questions received and the corresponding answers will be distributed to all bidders. No verbal responses will be provided. The deadline for questions about this proposal is stated in the Bid Activities and the district will not respond to questions after this time and date. Response to questions will be posted in the form of an addendum to this proposal. The vendors will be responsible for checking the website for any posted addenda.

I have read and understand.

*(Required: Check if applicable)*

**1 0 General Terms and Conditions**

I have downloaded and read the General Terms and Conditions from the ATTACHMENTS tab. By selecting this box, I agree to to the terms and conditions.

I have read and agreed to the T&C

*(Required: Check if applicable)*

**1 1 Scope**

SCOPE: The Lee's Summit R7 School District is soliciting bids for the purchase of the following equipment: Warranty on all equipment will begin on date of installation.

1. QTY-2 ea

EQUIPMENT: Oasis Self-service refrigerated open air screen case

MODEL NO: CO45R

DESCRIPTION: 47-1/4"W, 61 5/8"H, with EnergyWise self contained refrigeration system, (2) non lit adjustable metal shelves, top light, one piece plastic tub, black interior, (2) full end panels, lights on shelves, removable security cover, 4"D removable wall spacer brackets, casters, cETLus, ETL-Sanitation

2 ea: If GFCI is required, a GFCI breaker must be used in lieu of a GFCI receptacle

NOTE: 34" minimum entry door clearance required (without shipping skid & with rear spacer bracket removed)

2 ea: 1 year parts & labor warranty, 5 year compressor warranty

2 ea: Breeze-E (Type II) with EnergyWise refrigeration-NSF Type II complaint

2 ea: 110-120v/60/1ph, 15.32 amps

2 ea: 6 ft straight blade power cord NEMA 5-20P (base exit)

Note: Compressor air intake from front & out rear, unit must remain 4" from wall & front panel cannot be blocked

2 ea: Base support: casters, with levelers

2 ea: Exterior: Wilsonart or Formica non -premium laminate

2 ea: Black lower front panel

2 ea: Left end panel, full with mirrored interior, vinyl edging

2 ea: Right end panel, full with mirrored interior, vinyl edging

2 ea: Back panel, solid back panel, black painted

2 ea: Digital Fahrenheit thermometer

2 ea: Add lights (LED) to standard shelves (2)

2 ea: Removable solid security cover, locking (requires two end panels)

2. QTY-2 ea

EQUIPMENT: Heat Lamp

MODEL NO: GR2A-24D3

DESCRIPTION: Glo-Ray designer dual food warmer, 27 1/2"W, 3" spacing, infrared, standard wattage, tubular metal heater rod, double heater rod housing, aluminum construction, 700 watts, 14" high legs, Non adjustable stand, 24"x14" Sneeze guard one side, black corner cap color, RMB control, cULus, UL EPH classified

2 ea: 1 year on -site parts & labor warranty, plus (1) additional year parts only warranty on all Glo-Ray metal sheathed elements

2 ea: 120v/60/1-ph

2 ea: SELECT and add cost of RMB control

2 ea: Black designer corner cap color

2 ea: Non-adjustable stand, 14" H

2 ea: 14BP1-24 24" x 14" sneeze guard one side

3. QTY-2 ea

EQUIPMENT: Display merchandiser, heated, for multi-product

MODEL NO: Hatco Model GR2SDS-30D

DESCRIPTION: Glo-Ray designer slant display warmer, countertop, (2) shelves with (12) rods, adjustable thermostat, pre-focused infrared top heat, incandescent light, hardcoat aluminum base, tempered glass end panels, designer panels & corner caps, 4"legs, cULus, UL EPH classified

2 ea: 1 year on-site parts & labor warranty, plus (1) additional year parts only warranty on all Glo-Ray metal sheathed elements

2 ea: 120/208v-60/1-ph, 2040 watts, 8.5 amps, NEMA L14-20P

2 ea: Standard clear anodized aluminum housing, finish

2 ea: Standard black, designer inset panel color

2 ea: Black, designer corner cap color

4. QTY-2 ea

EQUIPMENT: Heated Holding/Transport Institutional Cabinet Vulcan

MODEL NO: VBP18

DESCRIPTION: Holding/Transport cabinet, institutional series, mobile capacity (18) 18" x 26" x1" or (36) 12" x 20" x 2 1/2" pans, includes (15) pair of adjustable tray slides 1 1/2" OC, forced air blower, side mounted push handles, recessed control panel, electronic control with digital display, ambient to 190 degrees F, 20 gauge stainless steel interior & exterior, cULus, UL EPH classified

2 ea: 1 year limited parts & labor warranty

2 ea: 10 year warranty on heating elements

2 ea: K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the original warranty

2 ea: 120v/50/60/1-ph, 1500 watts, 12.5 amps, cord with NEMA 5-15P

2 ea: Field reversible doors

2 ea: 5" casters, set of (4)

5. QTY- 2 ea

EQUIPMENT: Flatware & Tray Cart

MODEL NO: Piper Products/Servolift Eastern Model No. CTS

Elite cafeteria tray stand, mobile modular base & panels design, OA 32"L x 28" W x 36"H, stainless steel top & legs, with (6) cutouts for silverware cylinders in top capacity (75) ea 15" x 20" trays, with (5) casters

1 year warranty parts and labor for each cart

6. QTY- 2 ea

EQUIPMENT: Hot Food Serving Counter/Table

MODEL NO: Piper Products/Servolift Eastern Model No. 4-HF

Elite 500 Hot food unit, electric, 60"L x 36"H (4) sealed wells with 1000w element with thermostatically controlled each, mobile, modular design with interlocking mechanism, 14 gauge stainless steel top, 20 gauge stainless steel front & end panels, 18 gauge stainless steel bottom shelf, manifold drains standard, 5" swivel plate casters (2 with brakes), 4kW, NSF, UL

1 year warranty parts and labor for each table

2 ea: 120v/60/1-ph, 33.3 amps, 4000 watts, NEMA 5-50p

2 ea: Manifold drains

2 ea: SRTS-60 Trayslide for Elite system, 12" solid ribbed, heavy gauge stainless steel for (4) openings, 60"W

2 ea: CPG-60 protector guard (cafeteria style)- 60"W

2 pr: CEG end guard (pair) for Elite system-cafeteria style

7. QTY- 2 ea

EQUIPMENT: Serving counter, utility

MODEL NO: Piper Products/Servolift Eastern Model No. 6-ST

Elite utility serving counter, 88"L x 36"H, mobile modular design with interlocking mech., 14 gauge stainless steel top, 20 gauge stainless steel front & end panels, 18 gauge stainless steel undershelf, 5" casters, NSF

MODIFIED to 80"L

1 year warranty parts and labor for each counter

2 ea: SRTS-80 trayslide for Elite system, 12" solid ribbed, heavy gauge stainless steel for (6) openings-88"W

8.QTY- 2 ea

EQUIPMENT: Cash register stand  
MODEL NO: Piper Products/Servolift Eastern Model No.2-CD  
Elite Cashier's serving counter, 30"L x 36"H, mobile modular design with interlocking mech., 14 gauge stainless steel top with register cord hole, locking drawer, 20 gauge stainless steel front & end panels, 5" casters  
1 year warranty parts and labor for each stand  
4 ea: SRTS-30 Trayslide for ELite system, 12" solid ribbed, heavy gauge stainless steel, for (2) openings-30"W

9: QTY- 1 ea

EQUIPMENT: Serving counter, cold food  
MODEL: NO: Piper Products/Servolift Eastern Model No. 1-BCM  
Elite cold food serving counter, 74"L x 36"H (1) pan size, 9 7/16" dp, mechanically cooled, mobile modular design with interlocking mech., 14 gauge stainless steel top, cabinet base, stainless steel front, end panels, louvered panel, undershelf & sliding doors, 5" casters, NSF, UL  
Modified to 78" L to have one well and the remaining solid top  
1 year warranty parts and labor for each counter  
1 ea: 120v/60/1-ph, 6.3 amps, NEMA 5-15P  
2 ea: 0098241 napkin dispenser, for 6 1/2" x 4 1/4" to 6 1/2" x 5 1/4" napkins  
2 ea: SRTS-78 Trayslide for Elite system, 12" solid ribbed, heavy gauge stainless steel for (5) openings-74"W  
1 ea: BPG-78 Double sided protector guard (buffet style) for Elite system for (5) openings-74"W  
1 pr: BEG end guard (pair) for Elite system buffet style  
1 ea: BGAH adjustable height for buffet style sneeze guards

I have read and understand.  
(Required: Check if applicable)

**1**  
**2** **No Deviations or Exceptions**

Bidders are expected to bid on the items as listed on the Equipment Specifications List, or Scope of Work. If there are any deviations from the specifications or scope of work listed, the bidder is expected to make note, along with a brief description in the next below. The District reserves the right to determine the successful bidder and will make that decision based on the best interest of the District.

I have read and agree.  
(Required: Check if applicable)

**1**  
**3** **Deviations and Exceptions**

If your company intends to deviate from the Specifications listed in the attached documents, all such deviations and exceptions must be listed here, with complete and detailed conditions and information included. The District will consider any deviations or exceptions in its bid award decisions. The District reserves the right to accept or reject any proposals based upon any deviations indicated below.

If none, please enter N/A (Not Applicable).

---

---

---

---

---

---

(Required: Maximum 4000 characters allowed)

**1**  
**4** **Cooperative Procurement with Other Jurisdictions**

This section is optional; it will not affect the agreement.

- 1) Sales will be made in accordance with the prices, terms, and conditions of the Request for Proposals and any subsequent term agreement.
  
- 2) There shall, however, be no obligation under the cooperative procurement agreement for any organization represented by MACPP or MARC to utilize the proposal or agreement unless they are specifically named in the Request or Proposals as a joint respondent.
  
- 3) All sales to other jurisdictions will be made on purchase orders issued by that jurisdiction. All receiving, inspection, payments and other agreement administration will be the responsibility of the ordering jurisdiction.
  
- 4) Each jurisdiction that is a party to the joint proposal has authority to act as Administrative Contracting Officer with responsibility to issue purchase orders, inspect and receive goods, make payments and handle disputes involving shipment to the jurisdiction.

If the District awarded you the proposed agreement, would you sell under the prices and terms of this agreement to any public school district or any other non-profit organization having membership in the Mid-America Council of Public Purchasing (MACPP) or Mid-America Regional Council (MARC) and located within the greater Kansas City metropolitan trade area? (All deliveries shall be F.O.B. Destination and there shall be no obligations on the part of any member of said Council to utilize this agreement).

Yes  No

*(Optional: Check only one)*

---

## **Bid Lines**



**1** 47-1/4"W, 61 5/8"H, with EnergyWise self contained refrigeration system, (2) non lit adjustable metal shelves, top light, one piece plastic tub, black interior, (2) full end panels, lights on shelves, removable security cover, 4"D removable wall spacer brackets, casters, cETLus, ETL-Sanitation  
 2 ea: If GFCI is required, a GFCI breaker must be used in lieu of a GFCI receptacle  
 NOTE: 34" minimum entry door clearance required (without shipping skid & with rear spacer bracket removed)  
 2 ea: 1 year parts & labor warranty, 5 year compressor warranty  
 2 ea: Breeze-E (Type II) with EnergyWise refrigeration-NSF Type II complaint  
 2 ea: 110-120v/60/1ph, 15.32 amps  
 2 ea: 6 ft straight blade power cord NEMA 5-20P (base exit)  
 Note: Compressor air intake from front & out rear, unit must remain 4" from wall & front panel cannot be blocked  
 2 ea: Base support: casters, with levelers  
 2 ea: Exterior: Wilsonart or Formica non -premium laminate  
 2 ea: Black lower front panel  
 2 ea: Left end panel, full with mirrored interior, vinyl edging  
 2 ea: Right end panel, full with mirrored interior, vinyl edging  
 2 ea: Back panel, solid back panel, black painted  
 2 ea: Digital Fahrenheit thermometer

Quantity:   2   UOM:   EA   Unit Price: \$  Total: \$

Manufacturer:   
 Manufacturer #:   
 Supplier Notes: \_\_\_\_\_  
 \_\_\_\_\_

- No bid
- Alternate specification  
*(Attach separate sheet)*
- Additional notes  
*(Attach separate sheet)*

**Item Attributes**

**1. Add lights (LED) to standard shelves (2)**

2 each  
 \$   
*(Required: Numbers only)*

**2. Removable solid security cover, locking (requires two end panels)**

2 each  
 \$   
*(Required: Numbers only)*

**2** Glo-Ray designer dual food warmer, 27 1/2"W, 3" spacing, infrared, standard wattage, tubular metal heater rod, double heater rod housing, aluminum construction, 700 watts, 14" high legs, Non adjustable stand, 24"x14" Sneeze guard one side, black corner cap color, RMB control, cULus, UL EPH classified  
 2 ea: 1 year on -site parts & labor warranty, plus (1) additional year parts only warranty on all Glo-Ray metal sheathed elements  
 2 ea: 120v/60/1-ph  
 2 ea: Black designer corner cap color  
 2 ea: Non-adjustable stand, 14" H

Quantity:   2   UOM:   EA   Unit Price: \$  Total: \$

Manufacturer:   
 Manufacturer #:   
 Supplier Notes: \_\_\_\_\_  
 \_\_\_\_\_

- No bid
- Alternate specification  
*(Attach separate sheet)*
- Additional notes  
*(Attach separate sheet)*

## Item Attributes

### 1. RMB Control

2 each RMB Control

\$

(Required: Numbers only)

### 2. 14BP1-24 Sneeze guard one side

2 each sneeze guard 24" x 14"

\$

(Required: Numbers only)

- 3** Glo-Ray designer slant display warmer, countertop, (2) shelves with (12) rods, adjustable thermostat, pre-focused infrared top heat, incandescent light, hardcoat aluminum base, tempered glass end pannels, designer panels & corner caps, 4"legs, cULus, UL EPH classified  
1 year on-site parts & labor warranty, plus (1) additional year parts only warranty on all Glo-Ray metal sheathed elements

2 ea: 120/208v-60/1-ph, 2040 watts, 8.5 amps, NEMA L14-20P

2 ea: Standard clear anodized aluminum housing, finish

2 ea: Standard black, designer inset panel color

2 ea: Black, designer corner cap color

Quantity:   2   UOM:  EA  Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes:

- No bid  
 Alternate specification  
(Attach separate sheet)  
 Additional notes  
(Attach separate sheet)

- 4** Holding/Transport cabinet, institutional series, mobile capacity (18) 18" x 26" x1" or (36) 12" x 20" x 2 1/2" pans, includes (15) pair of adjustable tray slides 1 1/2" OC, forced air blower, side mounted push handles, recessed control panel, electronic control with digital display, ambient to 190 degrees F, 20 gauge stainless steel interior & exterior, cULus, UL EPH classified  
1 year limited parts & labor warranty  
2 ea: 10 year warranty on heating elements  
2 ea: K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the original warranty  
2 ea: 120v/50/60/1-ph, 1500 watts, 12.5 amps, cord with NEMA 5-15P  
2 ea: Field reversible doors  
2 ea: 5" casters, set of (4)

Quantity:   2   UOM:  EA  Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes:

- No bid  
 Alternate specification  
(Attach separate sheet)  
 Additional notes  
(Attach separate sheet)

**5** Elite cafeteria tray stand, mobile modular base & panels design, OA 32" L x 28"W x 36"H, stainless steel top & legs, with (6) cutouts for silverware cylinders in top, capacity (75) ea 15" x 30" trays, with 5" casters (flatware & tray cart)  
 1 year warranty parts and labor on carts

Quantity:   2   UOM:   EA   Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes: \_\_\_\_\_

No bid  
 Alternate specification (Attach separate sheet)  
 Additional notes (Attach separate sheet)

**6** Elite 500 hot food unit, electric, 60"L x 36" H, (4) sealed wells with 1000w element with thermostatically controlled each, mobile, modular design with interlocking mechanism, 14 gauge stainless steel top, 20 gauge stainless steel front & end panels, 18 gauge stainless steel bottom shelf, manifold drains standard, 5" swivel plate casters, 4kW, NSF, UL  
 1 year warranty parts and labor for counter/table  
 2 ea: 120v/60/1-ph, 33.3 amps, 4000 watts, NEMA 5-50P  
 2 ea: Manifold drains

Quantity:   2   UOM:   EA   Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes: \_\_\_\_\_

No bid  
 Alternate specification (Attach separate sheet)  
 Additional notes (Attach separate sheet)

**Item Attributes**

**1. SRTS-60 Trayslide for Elite System**

12" solid ribbed, heavy gauge stainless steel for (4) openings-60"W  
 2 each  
 \$   
*(Required: Numbers only)*

**2. CPG-60 Protector guard for Elite system for (4) openings -60"W (cafeteria style)**

2 each  
 \$   
*(Required: Numbers only)*

**3. CEG end guard (pair) for Elite system-cafeteria style**

2 pair  
 \$   
*(Required: Numbers only)*

**7** Elite utility serving counter, 88"L x 36"H, mobile modular design with interlocking mech., 14 gauge stainless steel top, 20 gauge stainless steel front & end panels, 18 gauge stainless steel undershelf, 5" casters, NSF  
MODIFIED to 80"L

1 year warranty parts and labor for counter

Quantity:   2   UOM:  EA  Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes:

- No bid
- Alternate specification  
*(Attach separate sheet)*
- Additional notes  
*(Attach separate sheet)*

**Item Attributes**

**1. SRTS-80 trayslide for Elite system, 12" solid ribbed, heavy gauge stainless steel, for (6) openings-88"W**

2 each

\$

*(Required: Numbers only)*

**8** Elite Cashier's serving counter, 30"L x 36" H, mobile modular design with interlocking mech., 14 gauge stainless steel top with register cord hole, locking drawer, 20 gauge stainless steel front & end panels, 5" casters  
1 year warranty parts and labor for each stand  
4 ea: SRTS-30 Trayslide for ELite system, 12" solid ribbed, heavy gauge stainless steel, for (2) openings-30"W

Quantity:   2   UOM:  EA  Unit Price: \$  Total: \$

Manufacturer:

Manufacturer #:

Supplier Notes:

- No bid
- Alternate specification  
*(Attach separate sheet)*
- Additional notes  
*(Attach separate sheet)*

**Item Attributes**

**1. SRTS-30 Trayslide for Elite system, 12" solid ribbed, heavy gauge stainless steel, for (2) openings-30"W**

4 each

\$

*(Required: Numbers only)*

**9** Elite cold food serving counter, 74"L x 36"H, (1) pan size, 9-7/16" dp, mechanically cooled, mobile modular design with interlocking mech., 14 gauge stainless steel top, cabinet base, stainless steel front, end panels, louvered panel, undershelf & sliding doors, 5" casters, NSF, UL

MODIFIED to 78" to have one well and the remaining solid top

1 year warranty parts and labor  
120v/60/1-ph, 6.3 amps, NEMA 5-15P

Quantity:   1   UOM:  EA  Unit Price: \$  Total: \$

Supplier Notes: \_\_\_\_\_  
\_\_\_\_\_

- No bid
- Alternate specification  
*(Attach separate sheet)*
- Additional notes  
*(Attach separate sheet)*

**Item Attributes**

**1. 0098241 Napkin dispenser**

6 1/2" x 4 1/4" to 6 1/2" x 5 1/4" napkins  
2 each

\$

*(Required: Numbers only)*

**2. SRTS-78 Trayslide for Elite system**

12" solid ribbed, heavy gauge stainless steel for (5) openings -74"W  
2 each

\$

*(Required: Numbers only)*

**3. BPG-78**

Double sided protector guard for Elite system-buffer style for 5 openings-74"W

\$

*(Required: Numbers only)*

**4. BEG End guard for Elite system (pair, buffet style)**

1 pair

\$

*(Required: Numbers only)*

**5. BGAH adjustable height for buffet style sneeze guards**

1 ea

\$

*(Required: Numbers only)*

1  
0

Exact delivery location to be determined

Quantity:   1   UOM:  EA  Unit Price: \$  Total: \$

Item Notes: Commercial Services, Inc. (CSI) will receive, inspect, deliver, and set in place all equipment on behalf of the district. CSI to disconnect existing hot food wells, warmers merchandisers, remove from site and dispose of. CSI to assemble equipment as equipment as required and set in place. CSI to connect units in owner provided correct and properly sized receptacles located within 4 ft of connection points. CSI to supply materials to plumb hot food wells to floor sink located within 6 ft of unit. CSI to dispose of all shipping and manufacturing materials. All work to be performed at the same time during normal business hours; M-F; 7:00 am - 4:30 pm.

No bid  
 Additional notes  
*(Attach separate sheet)*

Supplier Notes: \_\_\_\_\_  
\_\_\_\_\_

